

To: Tim Mullins

From: David Crow

RE: BPS material inventory

Total 2 pages.

912319



ETA's: ① Mohay - ETA ?

Ryan - ~~8:30~~ 9:30 pm

Ky - 10:00 pm

ERKS - 10:00 pm { 4 man team

Start - 8:00 pm

Pine Bluff DOD - ETA ?

501/540 3395

- Atropine and 2 PAM Chloride (antidotes)  
- Monitoring Team (Nerve Agents)

② Cmd Post/on-site  
USCG - DO. Floyd  
501/338 5530 (fax) x. 5533  
501/338 1351 cell ph

1800-481-8001 (pager)

④ Hospital 501/338 6474

⑤ CHEMTREK 1800 424 9300

Tom Warnock

① Mohay Tech Expert - AG. Chemicals

Mr. Larry Thompson (maker of Azinphos)  
(913) 795 2115 (w)

Pager (816) 818-4080

Fire Water Runoff Treatment

① Contain water

② Add NaOH or  $\text{Ca}(\text{OH})_2$  to pH 12 or higher

③ Hold for up to one day

④ Neutralize + Discharge

OTHER

- Gov on site

- lots of media

- Firefighting Run off Problem - Caustic

- 3-4 deaths

③ AR Contacts

AR State Police - Troop D 870-6331454

AR OES 501/374 1201

ADPCE On Scene Rep - Sam Clardy

ADPCE Richard McDuffee 501/682-0744  
501/1222-0711